











*Report of the Intergovernmental Panel on Climate Change*, IPCC, Geneva, Switzerland, pp 104, 2007.

[31] Penner, J.E., R.E. Dickinson, and C.A. O'Neill, Effects of aerosol from biomass burning on the global radiation budget, *Science*, 256, 1992, 1432-1434.

[32] Péré, J. C., M. Mallet, B. Bessagnet, and V. Pont, Evidence of the aerosol core-shell mixing state over Europe during the heat wave of summer 2003 by using CHIMERE simulations and AERONET inversions, *Geophys Res Lett*, 36, L09807, 2009.

[33] Pierce, J.R., K. Chen, and P.J. Adams, Contribution of carbonaceous aerosol to cloud condensation nuclei: Processes and uncertainties evaluated with a global aerosol microphysics model, *Atmospheric Chemistry and Physics*, 7, 2007, 5447-5466.

[34] Posfai, M., Anderson, J. R., Buseck, P.R. & Sievering, H. Soot and sulfate aerosol particles in the remote marine troposphere, *J. Geophys. Res.* 104, 1999, 21685-21693.

[35] Remer, L.A., Y.J. Kaufman, D. Tanre, S. Matoo, D.A. Chu, J.V. Martins, R.R. Li, C. Ichoku, R.C. Levy, R.G. Kleidman, T.F. Eck, E. Vermote, and B.N. Holben, The MODIS aerosol algorithm, product, and validation, *J. Atmos. Sci.*, 62, 2005, 947-973.

[36] Riemer, N., Vogel, H., and B. Vogel, A parameterization of the soot aging for global climate models, *Atmos. Chem. Phys. Discuss.*, 4, 2005, 2089-2115.

[37] Robertson, LA. and A.G. Clarke, Semi-volatile organic aerosols - assessment of gaseous and intraparticle diffusion processes, *Journal of Atmospheric Science*, 31, 2000, 94-95.

[38] Satheesh, S.K., and V. Ramanathan, Large differences in the tropospheric aerosol forcing at the top of the atmosphere and Earth's surface, *Nature*, 405, 2002, 60-63.

[39] Satheesh, S.K., J. Srinivasan, V. Vinoj, and S. Chandra, New Directions: How representative are aerosol radiative impact assessments? *Atmos. Environ.*, 40, 2006, 3008-3010.

[40] Sato, Mki., J. Hansen, D. Koch, A. Lacis, R. Ruedy, O. Dubovik, B. Holben, M. Chin, and T. Novakov, Global atmospheric black carbon inferred from AERONET, *Proc. Natl. Acad. Sci.*, 100, 6319-6324, doi:10.1073/pnas.0731897100., 2003

[41] Schnaiter, M., Horvath, H., Mohler, O., Naumann, K. H., Saathoff, H., and Schock, O. W.: UV- VIS-NIR spectral optical properties of soot and soot-containing aerosols, *J. Aerosol Sci.*, 34, 2003, 11421-11444.

[42] Schwarz, J.P., et al., Single-particle measurements of midlatitude black carbon and light-scattering aerosols from the boundary layer to the lower stratosphere, *J. Geophys. Res.*, 111, D16207, doi: 10.1029/2006JD007076, 2006.

[43] Schuster, G. L., Dubovik, O., Holben, B. N., and Clothiaux, E. E.: Inferring black carbon content and specific absorption from AERONET retrievals, *J. Geophys. Res.*, 101, D10S17, doi: 10.1029/2004JD004548, 2005.

[44] Shettle, E.P., and R.W. Fenn, *Models for the aerosols of the lower atmosphere and the effects of humidity variations on their optical properties*, Report No. AFGL-TR-79-0214, ERP No.676, Environmental Research Paper Air Geophysics Lab., Hanscom AFB, MA. Optical Physics Div., 1979.

[45] Shiraiwa, M., Y. Kondo, N. Moteki, N. Takegawa, Y. Miyazaki, and D. R. Blake, Evolution of mixing state of black carbon in polluted air from Tokyo, *Geophys. Res. Lett.*, 34, L16803, doi:10.1029/2007GL029819, 2007.

[46] Skamarock, W. C., Klemp, J. B., Dudhia, J., Gill, D. O., Barker, D. M., Wang, W., and Powers, J. G., *A Description of the Advanced Research WRF Version 2*, NCAR Tech. Note, June, 2005.

[47] Schnaiter, M., C. Linke, O. Mohler, K. H. Naumann, H. Saathoff, R. Wagner, U. Schurath, and B. Wehner, Absorption amplification of black carbon internally mixed with secondary organic aerosol, *J. Geophys. Res.*, 110, 2005, D19204, doi:10.1029/2005JD006046

[48] Spencer, M. T., J. C. Holecek, C. E. Corrigan, V. Ramanathan, and K. A. Prather, Size-resolved chemical composition of aerosol particles during a monsoonal transition period over the Indian Ocean, *J Geophys Res*, 113, D16305, 2008.

[49] Stier, P., J. H. Seinfeld, S. Kinne, J. Feichter, and O. Boucher, Impact of nonabsorbing anthropogenic aerosols on clear-sky atmospheric absorption, *J. Geophys. Res.*, 111, D18201, doi: 10.1029/2006JD007147, 2006.

[50] Toon, O.B., and T.P. Ackerman, Algorithm for the calculation of scattering by stratified spheres, *Appl. Opt.*, 20, 1981, 3657- 3660.

[51] Wang, Y., et al., Springtime photochemistry at northern mid and high latitudes, *J. Geophys. Res.*, 108, 8358, doi:10.1029/2002JD002227, 2003.

[52] W. C. Conant, A. Nenes, and J.H. Seinfeld, Black carbon radiative heating effects on cloud microphysics and implications for the aerosol indirect effect: 1. Extended Kohler theory, *J. Geophys. Res.*, 107, 2002.

[53] Zhu, A., V. Ramanathan, F. Li, and D. Kim, Dust plumes over the Pacific, Indian, and Atlantic oceans: Climatology and radiative impact, *J. Geophys. Res.*, 112, D16208, doi: 10.1029/2007JD008427, 2007.

[54] Zuberi, B., Johnson K. S., Aleks G. K., Molina L. T. and M. J. Molina, Hydrophilic properties of aged soot, *Geophys. Res. Lett.*, 32, doi: 10.1029/2004GL021496, 2005.